



PRODUCT CATALOGUE

**RESTROOMS, HANDWASH
STATIONS, VACUUM
TECHNOLOGY, TRAILERS,
CONSUMABLES AND
SERVICE UNITS**





PRODUCT SECTIONS

- 2** Satellite Restrooms, Handwash & Accessories
- 40** Satellite Vacuum Technology | Sanitrax
- 50** Luxury Trailers | Scanvogn
- 70** Consumables | Safe-T-Fresh
- 86** Service Units
- 95** Contacts



RESTROOM DIVISION

STANDARD, WHEELCHAIR ACCESSIBLE,
SPECIALTY RESTROOMS, HANDWASH & ACCESSORIES



TABLE OF CONTENTS

3	Tufway	23	Hera 3 / Obbe 2
5	Mondo	24	Handistand I & II
7	Maxim 3000	25	Holding Tanks
9	madamePee	26	Fresh Flush Tank
10	misterPee	27	Flush Kits
11	Liberty	29	Additional Products
13	Shower Cabin	30	Lift Kits
14	Mains Connect	31	Global (US Sourced)
15	Pluto Plus	32	Freedom (US Sourced)
16	Pluto 3	33	Aspen (US Sourced)
17	Uriclean / 4men	34	Axxis (US Sourced)
18	Tag	35	Highrise (US Sourced)
19	Breeze	36	AgWash (US Sourced)
20	Wave	37	Pro-22 (US Sourced)
21	Maxim 3000 Sink	38	Pro-12 (US Sourced)
22	Slimmate (Mondo & Tufway sink)		

**All dimensions and weights are approximate and are subject to change without notice.*

***Item may differ from photograph.*

TUFWAY

A unique combination of durability and comfort is why operators and end-users have made Tufway the most used restroom in the world. By design, the Tufway interior is built for user comfort. It has a spacious, well-ventilated interior to reduce odors due to simple, yet important features. A combination of floor and molded-in wall vents facilitate continuous air flow. The urinal drains down the vent pipe, which prevents unwanted tank odors from venting back into the cabana. The seat is positioned at the furthest point from the urinal, away from odor and user's direct sight. There is also a convenient door hook to hang a purse or jacket. Together, these features produce a more comfortable, pleasant experience for the end-user.



SPECIFICATIONS

Height - 224 cm
Width - 112 cm
Depth - 122 cm
Door Open - 185 x 61 cm
Floor Area - 0.56 m²
Tank Volume - 265 L
Seat Height - 45.7 cm
Weight - 75 kg



COLORS



Standard



**All front/side panel combinations are available in the offered colors.*

HANDWASH AND ADDITIONAL OPTIONS



SLIMMATE HANDWASH

Capacity - 38 L


Number of uses - 186



SLIMMATE FOREARM

Capacity - 38 L

Number of uses - 186



GRID FLOOR

ACCESSORIES

Additionally, we also offer further accessories such as: soap dispensers, towel dispensers, corner shelf, gender indicator, mirror, other toilet paper holders, solar light and solar fan.



Molded Panels




Lift Kit with a Full Tank



Lift Kit with an Empty Tank


FLUSHING SYSTEMS



BASIC FLUSH KIT

Hand or foot pump


Capacity - 265 L



PREMIUM FLUSH KIT

Hand or foot pump


Capacity - 265 L



PREMIUM FLAPPER FLUSH KIT

Hand or foot pump

Capacity - 265 L



FRESH FLUSH TANK

Hand or foot pump

Fresh water capacity - 40 L


Greywater capacity - 140 L

MONDO

Your customers will love the Mondo. This high-quality unit has been a hit for years in Europe and is now taking the rest of the world by storm. Made from the best materials only, the Mondo complies with the highest hygiene and comfort requirements. This toilet will without a doubt always retain its unique look.



Distinct Look



265-Liter Tank



Increased Interior Height

SPECIFICATIONS

Height - 231 cm
Width - 112 cm
Depth - 122 cm
Door Open - 194 x 61 cm
Floor Area - 0.56 m²
Tank Volume - 265 L
Seat Height - 45.7 cm
Weight - 73.5 kg

COLORS



Standard



**All front/side panel combinations are available in the offered colors.*

HANDWASH AND ADDITIONAL OPTIONS



SLIMMATE HANDWASH

Capacity - 38 L


Number of uses - 186



SLIMMATE FOREARM

Capacity - 38 L

Number of uses - 186



GRID FLOOR



Molded Panels



Lift Kit with a Full Tank




Lift Kit with an Empty Tank

ACCESSORIES


Additionally, we also offer further accessories such as: soap dispensers, towel dispensers, corner shelf, gender indicator, mirror, other toilet paper holders, solar light and solar fan.

FLUSHING SYSTEMS




BASIC FLUSH KIT

Hand or foot pump
Capacity - 265 L




PREMIUM FLUSH KIT

Hand or foot pump
Capacity - 265 L




PREMIUM FLAPPER FLUSH KIT

Hand or foot pump
Capacity - 265 L



FRESH FLUSH TANK

Hand or foot pump
Fresh water capacity - 40 L
Greywater capacity - 140 L



SQUAT TANK

Hand pump
(hand shower optional)



SQUAT TANK

Foot pump
(hand shower optional)

MAXIM 3000

The most outstanding features of the Maxim 3000 are its ultra-smooth walls and spacious interior. With no ledges to collect dust, debris or waste, the Maxim 3000 can maintain a clean appearance long after a service call. Inside, the rounded corners create more open space, and a uniquely contoured tank provides end-users a more comfortable sitting position. Along with its beautiful appearance, the Maxim 3000 is also incredibly strong. By utilizing industry leading technology to create twin-panel walls and a blow-molded front, the cabana is almost indestructible. The cabana is also strengthened by interlocking corners, a fitted base, and an overlapping roof design.



Universal Shelf



Ultra Strong Twin-panel Walls



Vandal Proof Door Springs

SPECIFICATIONS

Height - 229 cm
 Width - 112 cm
 Depth - 122 cm
 Door Open - 192 x 61 cm
 Floor Area - 0.53 m²
 Tank Volume - 265 L
 Seat Height - 47.6 cm
 Weight - 85.8 kg

COLORS



Standard



**All front/side panel combinations are available in the offered colors.*

HANDWASH AND ADDITIONAL OPTIONS




HANDWASH WITH SMALL BASIN

Capacity - 32.5 L




HANDWASH WITH LARGE BASIN

Capacity - 32.5 L



GRID FLOOR



ACCESSORIES


Additionally, we also offer further accessories such as: soap dispensers, towel dispensers, corner shelf, gender indicator, mirror, other toilet paper holders, solar light and solar fan.

FLUSHING SYSTEMS



BASIC FLUSH KIT

Hand or foot pump
Capacity - 265 L



PREMIUM FLUSH KIT

Hand or foot pump
Capacity - 265 L

MADAMEPEE

madamePee designs urinals for both women and men, to bring equality to the bathrooms. No-touch, intimate, quick and without water, our portable urinals help reduce toilet queues and are easy to operate.

Connected to each-other, to an external tank or stand-alone, they fit every outdoor space. Join the madamePee revolution!



SPECIFICATIONS

Height - 210 cm
Width - 80 cm
Depth - 120 cm
Floor Area - 0.96 m²
Tank Volume - 200 L
Seat Height - 40.5 cm
Weight - 75.6 kg



Patented Toilet Bowl with Grid



Built-in Bin



Foldable Roof with Led Light



INTIMATE - create toilet areas for all and improve safety



FAST - reduce queues at toilets for women



HYGIENIC - whole cabin is no-touch, equipped with sanitizer



Compact & connectable in series



Self-contained or plugged



No water and no electricity

MISTERPEE


A portable urinal for men, ideal for events. It combines privacy, hygiene and the preservation of natural resources. Like the madamePee urinal, it operates without water, for more responsible sanitary areas that are equitable between men and women.

SPECIFICATIONS

Height - 210 cm
Width - 80 cm
Depth - 120 cm
Floor Area - 0.96 m²
Tank Volume - 200 L
Urinal Height - 80 cm
Weight - 73 kg



Waterless Urinal



Technical Access



Foldable Roof with Led Light



INTIMATE - create toilet areas for all and improve safety



ELEGANT - thoughtful design to ensure privacy



HYGIENIC - whole cabin is no-touch, equipped with sanitizer



Compact & connectable in series



Self-contained or plugged



No water and no electricity



LIBERTY

Looking to give your customers a little more? Then upgrade your Liberty to a family room. With the ability to mix and match all the options you can turn your Liberty into more than just a restroom. The baby changing station, the handwash, the urinal and the waste basket are great additions to increase flexibility and usability. Multiple coat hooks and shelves give parents the room needed to keep their belongings off the floor and out of the way. What's more, the new version of Liberty includes a base with raised edges, making it sturdier and easier to transport.

Turn your wheel chair accessible unit into a 3-man or 6-man urinal with a unique conversion kit. The double SRO unit features two troughs with room for three users on each side. For additional capacity, the SRO urinals can be connected to external tanks.

SPECIFICATIONS

Height - 227 cm
Width - 164 cm
Depth - 160 cm
Floor Area - 1.87 m²
Standard Tank - 132 L
Optional Tank - 257 L
Seat Height - 45.5 cm
Weight - 113 kg



Easy-To-Grasp Large Handles



New Base for Easy Transport




New Door Handles and Springs


COLORS



Standard



132 L



257 L

**All front/side panel combinations are available in the offered colors.*

HANDWASH AND ADDITIONAL OPTIONS

HANDWASH

Capacity - 38 L

Number of uses - 186



*Ideal for
families with
children*

AVAILABLE OPTIONS

- Baby Changing Station
- Coat hooks
- Large Mirror
- Handwash station with hand pump
- Shelf
- Solar Light
- Solar Fan
- Waste Basket
- SRO urinal



Built-in Urinal



Baby Changing Station



Handwash Station With Hand Pump

FLUSHING SYSTEMS



STANDARD TANK

Capacity - 132 L



LARGE TANK

Capacity - 257 L

SHOWER CABIN

HOT SHOWER

By design, the shower cabin is simple to connect to the available water source and the gas heater provides an almost immediate flow of warm water for users. Those setting up the shower and those using it will both be pleasantly surprised at how well the cabin shower meets the need for comfort and convenience.

COLD SHOWER

The mobile, economic cold water shower cabin impresses both rental companies and users and is already being used on beaches, lakesides and camping sites across Europe. The shower head can be adjusted manually, from a powerful massage jet to a soft normal spray.

SPECIFICATIONS

Automatic ignition system

Ignition: 2 "D" type batteries

Water connection: garden hose type

Water pressure: 0.25-1 bar

Water flow capacity: 5.7 lpm

Type of gas: Butane or Propane

Gas pressure: 30 mbar b/p

Heat input (Hs): 10 kw

Supply pressure*: 28-30/37, 50 mbar

Duration of gas cylinder: 59 hours

Weight: 127 kg

*May vary by country



AVAILABLE AS:

MONDO / TUFWAY

Colours and dimensions: see Mondo and Tufway specifications.

EMPTY CABIN ALSO AVAILABLE

Weight: 67 kg



MAINS CONNECT

This sewer connection cabin meets the highest requirements in functionality and comfort. It can be quickly and easily connected to the sewage system and offers a professional, alternative solution for all rental companies who want to make sure that their users really feel at home! The Mains Connect and hot Mains Connect are available in our Mondo and Tufway models.



HOT MAINS CONNECT


- 3kw infrared water heater
- Motion sensor for 20 seconds of water flow
- 16 amp power socket fitted to the rear of the cabin
- RCD protection
- Waterproof fuse box
- Optional infra-red activated light
- **Weight:** 73.5 kg (Mondo), 75 kg (Tufway)



Ceramic Toilet



Large Wash Basin



Waste and Fresh Water Connections

AVAILABLE AS:

MONDO / TUFWAY

Colours and dimensions: see Mondo and Tufway specifications.



PLUTO PLUS

Every detail of the Pluto Plus has been engineered for efficiency, durability, and ease of use. Designed to simplify event logistics, it features a TÜV-tested lifting eye, large forklift slots, and upright walls for safe transport. Dual hand grips on all sides allow easy positioning, while concealed dual drains provide flexible setup options. Maintenance is simple thanks to a threaded lid and protected tank base that extends service life. Practical, robust, and customizable, the Pluto Plus delivers reliable performance for professional operators.


Personalize your units with your company logo (minimum order quantities apply).



Lifting Eye



Forklift Slots



1 1/4 Inch Drain

SPECIFICATIONS

Height - 212 cm
Width - 115 cm
Depth - 115 cm
Empty Weight - 95 kg
Capacity - 405 L

COLORS

Standard



PLUTO 3

The Pluto 3 is the world's most trusted mobile urinal, used in over 22 countries for major events and city projects. Compact yet high-capacity, it accommodates four users at once, reducing queues and improving crowd flow. Its stackable design offers exceptional transport efficiency, fitting four units in the space of one portable toilet. Built-in fork slots simplify relocation, while stainless steel bars and optional concealed drains enhance stability and maintenance. Durable, practical, and efficient, the Pluto 3 remains the benchmark for event hygiene and logistics.

Personalize your units with your company logo (minimum order quantities apply).




SPECIFICATIONS

Height - 160 cm
Width - 112 cm
Depth - 112 cm
Empty Weight - 40 kg
Capacity - 400 L



Stackable up to 4 Plutos



Forklift Slots



Possibility to Add a Concealed Drain



COLORS

Standard

URICLEAN

This portable urinal can accommodate three users at once and be connected to a drain. With its heavy-duty lifting ring, suitable for lifting it with a full tank, it can be transported easily from site to site. Combine the Uriclean with your portable toilets during events, as many other operators do. More and more towns now require its use in order to prevent urine damage to public or historic buildings. Its price beats all competition, perfect as a long-term investment.



209 cm



120 cm

URICLEAN

Dimensions - 209 x 120 cm

Empty Weight - 79 kg

Capacity - 374 L (1250 uses)

4MEN

Dimensions - 161 x 112 x 112 cm

Height (with privacy screens) - 180 cm

Empty Weight - 40 kg

Capacity - 400 L (1333 uses)

4MEN

The 4Men meets all men's wishes when it's about using a portable urinal at an event. The time when it was not easy to handle the drinking glasses is over. Indeed, the 4Men has been built with specific places to put drinking glasses to offer a more pleasant experience to the end-user. Easy-to-maintain and easy-to-transport, the two halves can be separated and nest into each other, allowing up to 5 4Men per pallet. Finally, offer more privacy to the end-users thanks to the screens that you can fix on the top of the urinal (optional). Customize the colour with a minimum order of 30 pieces.



With privacy screens
(optional)



161 cm

112 cm

TAG 4

The Tag 4 balances the proven strengths of the original Tag sink with enhanced design and functionality to offer a more operator friendly free-standing handwash station. Using industry leading technology, the Tag is more durable, easier to handle and service, and can be supplied faster, in larger quantities. With greater flexibility to hold almost any size soap and towel dispenser on the market while still fitting comfortably in most standard-size portable restrooms for ease of transportation, the next generation Tag 4 sink is a low-maintenance, essential workhorse for your fleet.

SPECIFICATIONS

Height - 150 cm
Width - 49 cm
Depth - 67 cm
Empty Weight - 29.5 kg
Fresh Volume - 83 L
Waste Volume - 83 L
Color - Gray

Optional:


Towel Dispensers
Soap Dispensers
Transport Cart



BREEZE

With an eye-catching design and sealed water tank to insure proper hygiene, the Breeze will thrill event coordinators who truly want both. It has two stations with full fingertip to elbow washing and operates with hands-free foot pumps that have been standard in Satellite products for many years, providing care-free operation.

To maintain its attractiveness, the blue areas have a fleck pattern to hide scuffs and scratches. It also has extended bumpers on the side and top to buffer it while traveling. There are fresh and grey water drain plugs and an additional pump out port on the base for waste water. To aid drivers, all plugs are tethered to the unit to prevent loss or damage. It has two handles for lifting and fits easily inside most portables for ease of transport. Most of all, it has a sealed fresh water tank where chlorine can be added to kill bacteria. All in all, it is a breeze to maintain and operate.



SPECIFICATIONS

Height - 164 cm
Width - 65 cm
Depth - 49 cm
Empty Weight - 30 kg
Fresh Volume - 76 L
Waste Volume - 83 L
Color - Gray/Blue
Built-in Towel Dispensers

Optional:
 Soap Dispensers

WAVE

The Wave has a sealed fresh water tank for added hygiene, which allows for the use of chlorine tablets to kill harmful bacteria that may be living in the water, helping protect the user and the public from harm.

Placing two units back-to-back allows for a four-station hand washing facility to meet all your needs.

SPECIFICATIONS

Height - 137 cm
Width - 107 cm
Depth - 61 cm
Fresh Volume - 163 L
Waste Volume - 178 L
Color - Gray
Weight - 54 kg

Optional:
Towel Dispensers
Soap Dispensers



MAXIM 3000 SINK

Stylish corner in-unit sink with foot pump integrates seamlessly with the interior of the Maxim 3000. Extra-large basin is highly polished for easy cleaning, and to keep it looking clean after multiple uses.



SPECIFICATIONS

Height - 98 cm
Width - 56 cm
Depth - 23 cm
Empty Weight - 6.4 kg
Tank Volume - 32.5 L
Color - Gray



Vandal-resistant Nozzle



Foot Pump Operation

SLIMMATE

This compact in-unit sink has a water-conserving “fan spray” nozzle and still has a generous amount of fresh water for a high number of washes per fill. The foot pump is positioned so users can operate the unit easily and get a thorough washing with limited pumps.

SPECIFICATIONS

Height - 98 cm
Width - 48 cm
Depth - 20 cm
Empty Weight - 6.4 kg
Tank Volume - 38 L
Color - Gray

98 cm

20 cm



38-liter Freshwater Capacity



Vandal-resistant Nozzle



HERA 3

The Hera 3 sets a new standard in portable handwashing, combining durability, capacity, and user comfort.

Designed for two users, it features large basins, hands-free foot pumps, and ample space for soap or paper dispensers. Each refill supports 150 to 300 uses, ensuring long service intervals at busy events or worksites. With built-in handles and a removable lid for easy maintenance, the Hera 3 offers a practical, hygienic, and reliable solution for professional operators.



SPECIFICATIONS

Height - 135 cm
Width - 99.8 cm
Depth - 57.5 cm
Empty Weight - 35 kg
Fresh Water Capacity - 100 L
Colors - Granite, Blue, Green

OBBE 2

The Obbe 2 is the essential hygiene upgrade for any portable restroom fleet. Compact and universally compatible, it fits seamlessly in all major portable toilet models.

Its slim, space-saving design ensures user comfort while maintaining interior efficiency. Lightweight and easy to transport, the Obbe 2 arrives ready to use with a foot pump and waste tank hoses. Built for flexibility, it allows left- or right-side installation and adaptable drainage options for effortless operation and maintenance.

SPECIFICATIONS

Height - 110 cm **Width** - 38 cm **Depth** - 20.5 cm
Fresh Water Capacity - 34 L **Colors** - Dark Gray, Granite



HANDISTAND I

The low-cost Handistand will pay for itself in half the time and cost less to maintain than most other hand sanitation stands.

The Handistand is made from unbreakable molded polyethylene that can withstand the force of vandals and nature so you can keep renting it year after year. If faster profits and long-term benefits are what you want from a hand sanitation stand, then Handistand will deliver.

SPECIFICATIONS

Height - 152 cm

Width - 51 cm

Depth - 51 cm


Weight - 7.25 kg

Color - Gray



HANDISTAND II

The Handistand II is a straightforward, convenient hand sanitizing station for any occasion. The hollow pyramid shape makes it easy to maneuver for transport or storage. With the capacity to hold four dispensers, the Handistand II can be as versatile as you need it.



SPECIFICATIONS

Height - 119 cm **Base Dimensions** - 76 x 76 cm

Top Dimensions - 21 x 21 cm **Weight** - 10 kg **Color** - Gray

HOLDING TANK

This mobile holding tank can be used as a waste water tank or as a fresh water tank to ensure a longer lasting fresh water supply. It is also useful as temporary storage to limit your amount of visits to the sewage treatment plant. With two internal pillars and thickened corners, the holding tank can be stacked 6-high when empty. All fittings are molded, plus the tanks can be connected end-to-end with rubbers. All connectors are sunk in to guard against breakage.

SPECIFICATIONS

Dimensions (H x W x D) - 0.44 x 1.35 x 2.44 m

Empty Weight - 59 kg

Capacity - 1135 L



REMOVABLE TANK

Our removable tank is designed for use in spaces too small for our full-size toilets, such as on the floor of a building or other hard-to-reach areas, or inside toilet containers or toilets with removable tanks. Its handles make it easy to move around.

(Flushing is available as an option)



TOILET MOVER

Move any type of portable toilet easily with this lightweight, steel framed trolley. Tilt the trolley upright, slide the two steel rods under the toilet base and tilt backwards. The toilet is held firmly in place and rests safely on four tires for added support and equal weight distribution. Protect your equipment from damage and your employees from injury.

The mover is suitable for all self-contained toilets, including PRM models.



CONTAINMENT TRAY

Durable tray for collecting residues when cleaning cabins. Built strong for continual use, Satellite's containment tray has a thickened base to hold its shape, last longer and fit all standard-size restroom bases.



FRESH FLUSH TANK

SMART WATER MANAGEMENT. CLEANER EXPERIENCE.

The Fresh Flush Tank delivers hygiene, efficiency, and adaptability in a compact design. Start with fresh water, then switch seamlessly to a recirculating flush using the integrated changeover valve.

With 40 L of fresh water and 146 L recirculated capacity, it supports up to 132 users before changeover. A large waste tank ensures reliable service for events or jobsites without interruption.

Fully compatible with the Slimmate handwash station, it can supply water directly and expand total fresh capacity to 78 L, providing greater flexibility for longer use.

KEY FEATURES AND BENEFITS

Dual-Flushing Capability

Use clean water for the first 132 flushes, then switch to recirculated water, no tools required, just a simple valve adjustment.

Impressive Capacity

146 liters of usable wastewater capacity, nearly matching standard flushing tanks, and well-suited for typical usage scenarios:

- A week of use at a construction site (approx. 60L waste)
- Busy weekend events (approx. 80–100L waste)


Modular Compatibility

- Fits with Mondo and Tufway units
- Compatible with the Slimmate handwash (fresh side connection via open deck)

Pump Options

Choose from foot or hand pump operation for flexible installation.






BASIC FLUSH KIT

The recirculating flushing system is a popular accessory for customers since it can be installed quickly to easily upgrade any of Satellite's standard, wheelchair accessible, and many other portable restrooms into a flushing unit. Satellite's recirculating filter system prevents waste from being pumped back through the bowl. Leaving it looking fresh and clean after each use.

Available with foot or hand pump.



PREMIUM FLUSH KIT

Satellite's Flip Top tank has a powerful nozzle flushing system. This unique system is operated by a low-maintenance hand pump installed on the waste tank deck or foot pump installed into the plastic roto-molded skid. Using fresh water from the Pro-22 sink to flush the waste, each user gets that at-home experience in a portable restroom.

Available with foot or hand pump.



PREMIUM FLAPPER FLUSH KIT

This unique flush system features a plastic flapper bowl that hides waste from view and seals tight to reduce odor. Retrofit any of Satellite's standard units and some specialty units into a flushing unit with the versatile flapper bowl. Flapper bowls can be installed as a fresh flush if the Pro-22 sink is included or recirculating flush system if no sink is present.

Available with foot or hand pump.



RECIRCULATING HAND FLUSH

The Western Recirculating flushing system is a quick and easy flushing upgrade to Satellite's wheelchair accessible restrooms, the Liberty and the Freedom. Satellite's Recirculating filter system prevents waste from being pumped back through the bowl. Leaving it looking fresh and clean after each use. The Western Hand Flush pump system fits both the 132-litre and 257-litre waste tanks.

PORTA TANK

The Porta-Tank is a compact, purpose-built waste tank designed for site cabins and temporary facilities. Built from durable materials, it provides a dependable sanitation solution that is easy to transport, install, and maintain. Delivered ready to use, it includes a screw cap and toilet seat for quick setup on any job site. Lightweight and space-efficient, it fits easily into confined spaces while maintaining high performance. Available in both Standard and Recirculation models, the Porta-Tank can also be equipped with an optional flushing system to enhance hygiene, comfort, and overall user satisfaction.



TRAILER TANK

The Trailer Tank is a purpose-built sanitation system designed for site cabins, welfare units, and mobile trailers. Its flat-floor design allows direct installation without a sump, providing a clean and efficient recirculating flush system. The durable lid minimizes splashing during transport, while the angled seat offers additional space and comfort when used alongside urinals. Delivered as a complete kit with a toilet seat and essential components, the Trailer Tank ensures fast installation, easy maintenance, and reliable hygiene for any mobile or temporary facility.

Available with foot or hand pump.



SOLAR LIGHT

This solar light is specifically designed for portable toilets. The light is inserted through a cut-out hold in the roof from above, leaving the solar panel exposed. A rubber gasket ensures that the fitting remains watertight. The light is secured to the toilet structure by a back-nut with a motion sensor, which will turn the light on when movement is detected inside the toilet, and off when there is no further movement. The light is also fitted with a day/night sensor so it will not turn on during the day.

- Dimensions (DxH): 9 x 7.8 cm
- 5 Super Bright LEDs emitting 35 lumens
- 1.2 V NI-mh 900mAh rechargeable battery
- 2V 130mA solar panel with built-in day/night sensor and overcharge protection
- Motion sensor with 100-degree angle 5-meter activation zone
- Lighting time: the light will remain on when detecting movement and turn off after no movement for 40 seconds



SOLAR FAN

Operation mode:

- When the sunlight is over 40,000 lux, the vent will work continuously.
- When sunlight is approx. 8,000 lux, the vent will work for 45 sec. after a charging time of about 4 minutes.
- The charging time will be shorter if the sunlight is brighter.

SPECIFICATIONS

Dimensions (HxWxD) - 0.44 x 1.35 x 2.44 cm

Fan speed - 2500 rpm

Max air flow - 32.99 cfm ($\approx 56 \text{ m}^3/\text{h}$)

Noise level - 27 db

Overall size - 20 x 8.3 cm (diameter x height)

Insert tube - 8.2 x 5.8 cm (diameter x height)



UNIVERSAL LIFT KIT

Our new wet lift is more universal than any of our previous wet lifts. It is compatible with the Aspen, Maxim 3000, Tufway, Axxis and the Global. This newly designed lift allows you to move it from model to model in a relatively short time making it extremely versatile.

- Max. lift weight including lift kit and restroom is 460 kg
- Not to be used for lifting people or objects other than a single standard toilet



GLOBAL

Satellite's Global restroom has leapt to the top of the industry, becoming a staple cost-effective restroom for operators in the USA. The clean, rigid design of the Global makes it great for events or construction sites. Key features include the new impact base, three-roll toilet paper holder, large hands-free door latch, and hover handle. Increased side panel thickness and a solid door frame make the Global one of the strongest units on the market. The interior layout creates a spacious feel that gives the end-users more space to move around. Smooth side panels with shallow impressions reduce dirt and debris buildup making the Global easy to clean.



Hover Handles



One-Piece, Blow-Molded Door



Hands-Free Door Latch

SPECIFICATIONS

Height - 229 cm
Width - 112 cm
Depth - 122 cm
Door Open - 183 x 61 cm
Floor Area - 0.54 m²
Tank Volume - 265 L
Seat Height - 47.6 cm
Weight - 77 kg

COLORS



Standard



**All front/side panel combinations are available in the offered colors.*

FREEDOM

The Freedom is a fully ADA-compliant restroom with longer handrails and an oversized closure latch, making it extremely user friendly for end-users in wheelchairs.


The Freedom is stronger, thanks to a base with raised edges and reinforced side panels and roof. In impact tests, the floor and wall connections withstood twice the force of previous models without damage. The shape of the base also facilitates lifting with a forklift truck.

Ideal for families with children



SPECIFICATIONS

Height - 260 cm
Width - 168 cm
Depth - 220 cm
Door Open - 205 x 83 cm
Floor Area - 2.67 m²
Tank Volume - 133 L
Seat Height - 47 cm
Weight - 141 kg



COLORS



Standard

Premium

*All front/side panel combinations are available in the offered colors.

ASPEN

The newly redesigned Aspen is a crowd pleaser and will elevate the mood of any event. The streamlined new design gives the Aspen a sleek and modern feel. Smoothing out and creating shallower impressions on the side panels and door gives the Aspen that WOW factor every end-user wants to see! New features include a more durable roof, larger tank, large splash resistant urinal, private molded-in vent screens, coat hook, enclosed door springs and closure, large hover handle, hands-free latch, impact base, and the new universal shelf. As you can see Satellite's engineering team left no stone unturned when redesigning the Aspen.



Hands-Free Latch



New Universal Shelf



Rounded Urinal

SPECIFICATIONS

Height - 231 cm
Width - 112 cm
Depth - 122 cm
Door Open - 186 x 64 cm
Floor Area - 0.54 m²
Tank Volume - 227 L
Seat Height - 43.2 cm
Weight - 74.8 kg

COLORS



Standard



Premium



Premium+



Special Order



Alle Seitenwände/Türfront-Kombinationen sind möglich

AXXIS

The Axxis restroom is a significant innovation to our line of portable restrooms and the portable sanitation industry. When Satellite set out to redesign the Axxis we listened and learned from the very best, YOU, our customer! Featuring durable stainless-steel hinges, hands-free door latch, large hover handle, a re-engineered door assembly, and Satellite's impact base, the Axxis is not only an end-user's dream, but an operator's best friend. The improved features create a spacious feel that gives users the room to move around freely. Smooth surfaces with shallow impressions reduce dirt and debris buildup keeping the Axxis looking clean between services.

SPECIFICATIONS

Height Standard Roof - 227 cm
Height Keystone Roof - 234 cm
Width - 109 cm
Depth - 119 cm
Floor Area - 0.56 m²
Tank Volume - 227 L
Seat Height - 47.6 cm
Weight - 74.8 kg



COLORS



Standard

**All front/side panel combinations are available in the offered colors.*

HIGHRISE

This restroom is built exclusively for the highrise construction market and offers end-users and operators a unique set of features. The Highrise is sized to go where other restrooms cannot. With the optional roof it is only 85 cm wide and 2.23 m high. This allows the Highrise to be moved through halls and doorways to the place where workers need it most. The casters are sealed to prevent freeze up and can be greased for continued reliability. The frame and floor are made from galvanized metal to prevent damage while lifting and handling. This uniquely designed restroom fills the need for privacy, maneuverability, and dependability.



SPECIFICATIONS

Height Without Roof - 198 cm

Width - 79 cm

Depth - 135 cm

Tank Volume - 144 L

Standard Weight - 116 kg

Full-Feature Weight - 139 kg

Exterior With Roof:

Height - 223 cm

Width - 85 cm

Depth - 137 cm

Interior:


Height - 198 cm

Width - 76 cm

Depth - 131 cm



Lift Kit (Optional)



Fits Through Door Openings



Full or Semi Privacy



AGWASH

The AgWash upright handwash station mounts externally to all portable restrooms to comply with GAP (Good Agricultural Practices) open-air requirements. It also exceeds GAP's minimum-tank requirement by holding 64.3 litres of water and is equipped with a soap and a towel dispenser. The AgWash operates by pressing on a recessed foot pump and provides approximately 330 washes.

U.S. SOURCED

SPECIFICATIONS

Height - 169 cm
Width - 41 cm
Depth - 29 cm
Fresh Volume - 64.3 L
Color - Gray
Weight Empty - 8.4 kg



PRO-12

Possibly the most flexible of the in-unit hand washing stations on the market, the Pro-12 provides ample reservoir space as well as the ability to place it in Vantage and Axxis portable restrooms without removing the urinal.



112 cm


48 cm

SPECIFICATIONS

Height - 112 cm
Width - 48 cm
Width Slim - 36 cm
Depth - 27 cm
Empty Weight - 7.7 kg
Tank Volume - 45.4 L
Color - Gray



Vandal-Resistant Nozzle



Available in a Slim Model


PRO-22

This rugged internal handwash station requires the removal of the portable restroom urinal but gives the user 83.3 L of freshwater capacity. In situations requiring a fresh water flushing system, the Pro-22 serves as the unit of choice for both hand washing and as the freshwater reservoir for flushing.

SPECIFICATIONS

Height - 93 cm
Width - 43 cm
Depth - 34 cm
Empty Weight - 11.4 kg
Tank Volume - 83.3 L
Color - Gray

93 cm



43 cm



Soap and Towel Dispenser



Universal Foot Pump



VACUUM TECHNOLOGY DIVISION

SANITRAX






TABLE OF CONTENTS

41	Sanitrax Toilet Module
42	Sanitrax Washbasin Module
43	Sanitrax Urinal Module
44	Sanitrax Tech Module
45	Sanitrax Shower 1.0
46	Sanitrax Shower 2.0
47	Nomad
48	Rover


SANITRAX TOILET MODULE




Satellite's Sanitrax toilets are the world's first on-land modular restrooms powered by vacuum technology. Each module contains three full-size flushable toilets with LED lights and can be upgraded to the Smart Package, which uses infrared sensors to track the number of uses.

Sanitrax doors incorporate a quick-change system that allows operators to interchange (optional) door panel graphics in a matter of minutes. Thus giving operators and venues more marketing options.

One operator can transport up to 24 modules or 72 toilets on a standard truck/trailer combination and installation can be carried out with a minimum of crew, making it the most efficient system in the industry. On average, operators see up to 90% savings compared to fresh water flush toilets and venues see an increase of 40% on food and beverage sales. That's a WIN-WIN!



UNIQUE FLUSHING TECHNOLOGY



TECNICAL SPECIFICATIONS

Weight: 750 kg

Power: 12V, 3W

Water usage per flush: 0.8 L

Water supply connection:
3/4" M Camlock

Waste water drainage connection:
2.5" M Camlock

Waste water system: Vacuum

Vacuum pressure in bar: -0.3 to -0.6

Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5

Water pressure in psi: 40 to 90

Shipping container: 10 modules

Transport: 24 modules (72 toilets) on a standard truck/trailer combination




SANITRAX WASHBASIN MODULE

Satellite Sanitrax Washbasin is extremely practical, attractively designed, and smartly equipped. It's also important that the modules can be thoroughly and quickly cleaned between uses.

Satellite anticipated the end-users' needs when designing the Sanitrax Washbasin. Equipped with eight flow-control adjustable water-saving taps, four on each side, a full-width stainless steel mirror, integrated soap, and hand towel dispensers, gives end-users a full day's worth of service. In addition, four built-in wastebaskets ensure used hand towels can be disposed of easily, keeping the Washbasin looking clean and welcoming.

The Washbasin can be integrated to a vacuum setup or deployed as a mains connect unit.



TECNICAL SPECIFICATIONS

Weight: 800 kg

Power: 12V, 6W

Water flow: Adjustable

Water supply connection:

3/4" M Camlock

Waste water drainage connection:

2.5" M Camlock

Waste water system: Vacuum

Vacuum pressure in bar: -0.3 to -0.6

Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5


Water pressure in psi: 40 to 90

Shipping container: 10 modules


Transport: 24 modules (192 washbasins) on a standard truck/trailer combination

SPACE-SAVING MODULE

EIGHT WATER-SAVING TAPS




SANITRAX URINAL MODULE



Satellite's Sanitrax Urinal is operational on both sides and equipped with water-saving smart-flushing technology. It collects urine in a reservoir out of sight and automatically keeps the troughs clean by regularly flushing fresh water through the system.

The urinals have built-in LED lighting, a luxurious finish, and an attractive design that stands out. In addition, standard privacy sheets are available to increase users' confidentiality. Combining all these factors makes Satellite's Sanitrax Urinal the most complete solution on the market.



TECNICAL SPECIFICATIONS

Weight: 800 kg

Power: 12V, 3W

Water usage: Automatic

Water supply connection:

3/4" M Camlock

Waste water drainage connection:

2.5" M Camlock

Waste water system: Vacuum

Vacuum pressure in bar: -0.3 to -0.6

Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5

Water pressure in psi: 40 to 90

Shipping container: 10 modules

Transport: 24 modules (192 individual urinals)
on a standard truck/trailer combination





SANITRAX TECH MODULE

The Tech Module is the brain of the Satellite's Sanitrax system. The Sanitrax-designed electronic module has sensors that measure the connected toilets' vacuum levels and waste piping system and is fully autonomous.

Fitted with a twin pump setup, the Tech Module not only takes care of transporting the waste away from the toilets, but also the supply of fresh water for flushing.

Built to run autonomously, a dedicated app allows the operator to remotely monitor status and operations of the Tech Module when used in combination with an optional smart LED. In addition, data is stored on a cloud for later analysis by operators to ensure that the system is operating correctly.



TECNICAL SPECIFICATIONS

Weight: 1200 kg

Power: 200/400/480V, 32/63AMP

Water supply connection:
3/4" M Camlock

Waste water drainage connection:
2.5" M Camlock

Waste water system: Vacuum

Vacuum pressure in bar: -0.3 to -0.6


Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5


Water pressure in psi: 40 to 90

Shipping container: 10 modules

Transport: 24 modules on a standard truck/trailer combination




SANITRAX SHOWER 1.0



The attractive, sturdy, and easy-to-use Satellite Sanitrax showers are ideal for natural disaster clean-up efforts, refugee camps, and campsites!

Satellite Sanitrax's sleek, spacious 1.0 shower provides complete privacy and sufficient LED light and ventilation. A module consists of three water-saving showers containing a cabinet for dry and safe clothing storage and valuables. In addition, Sanitrax's attractive design and luxurious finish stand out. Combining all these factors makes the Sanitrax Shower the complete solution on the market.

*Hot water supply is not included and must be connected on-site.



TECNICAL SPECIFICATIONS

Weight: 750 kg

Power: 12V, 3W

Water supply connection:

5/4" M Camlock

Waste water drainage connection:

75 mm pipe

Waste water system: Gravity

Vacuum pressure in bar: -0.3 to -0.6

Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5

Water pressure in psi: 40 to 90

Shipping container: 10 modules

Transport: 24 modules (72 showers) on a standard truck/trailer combination



SANITRAX SHOWER 2.0

Satellite's Sanitrax Shower 2.0 goes beyond standard sanitary facilities by bringing a clean, luxurious shower experience to the outdoors.

Each module comprises two spacious, attractively designed showers that provide complete privacy and sufficient LED light and ventilation. In addition, each stall has a water-saving shower head, a bench and a curtain that allows for dry and safe storage of clothing and valuables inside the stall itself.

*Hot water supply is not included and must be connected on-site.



TECNICAL SPECIFICATIONS

Weight: 750 kg

Power: 12V, 2W

Water supply connection:

5/4" M Camlock

Waste water system: Gravity, 50 mm

Vacuum pressure in bar: -0.3 to -0.6

Vacuum pressure in psi: -4.3 to -8.7

Water pressure in bar: 3 to 5


Water pressure in psi: 40 to 90

Shipping container: 20 modules

Transport: 26 modules (52 showers) on a standard truck/trailer combination


SPACE-SAVING MODULE

POWDER COATED INTERIOR



NOMAD

Nomad is a scalable system consisting of five units designed to be combined to your specific need at any site - anywhere. The modular concept makes installation quick and easy.




TRANSFER UNIT

The Transfer Tank Unit increases flexibility of the vacuum system. This unit allows you to set up the NOMAD system even far from drains.

FLOW CONTROL UNIT


Ensures gravity flow to drain of up to:

- 3.75 l/sec to mains sewage
- 4.55 l/sec to mains sewage




WATER SUPPLY UNIT

The Water Supply Unit distributes water for the toilets, urinals and vacuum stations. The unit provides category 5 protection of mains water supply.



CATCHER UNIT

The Catcher Unit is designed to stop unwanted items from entering the pumps and eventually the sewer system. Easy clean out and service during operation.



VACUUM UNIT

The Vacuum Unit creates vacuum, macerates sewage, and discharges waste.

Available in 3 sizes (M/L/XL).

ROVER

Rover is the ideal solution for operators looking to add vacuum-flushing units to their fleet or as a backup module for large-scale operations.

Rover module is the ideal plug & play unit to power everything, from smaller events and camping sites facilities to emergency and response operations.

Although it has one less pump as the Satellite's Sanitrax Tech module and no APP feature, that doesn't stop the Vacuumator™ pump from performing in high-demand situations. In addition, it is field-ready that can be quickly deployed to create a sanitary infrastructure in remote areas.



**TRAVEL
MODE**



**WATER
PUMP**



**PROTECTIVE
TARP**



LUXURY TRAILERS

SCANVOGN







About Scanvogn

Who We Are

Cutting-edge Mobile Sanitation and Workforce Welfare Solutions

Scanvogn, a brand of Satellite Industries, represents the Nordic region's leading provider of high-end mobile solutions for the events and construction industries. We design and manufacture trailers that meet the highest standards of comfort, functionality and durability. Our trailers are constructed using lightweight, non-organic materials, offering excellent performance in hot and cold climates. Over the years,

we have developed a versatile product range tailored to the unique needs of our customers. By collaborating closely with clients, we continue to innovate and refine our offerings to meet the evolving demands of modern society and businesses. With Scanvogn, you get solutions crafted with care and expertise.

Our Products

Trusted by Professionals



With Scenvogn as our partner, we're confident we're getting the best quality products on the market, keeping us ahead of the competition.





We offer a wide selection of mobile solutions for several key industries

Scanvogn designs and manufactures a wide range of high-quality trailers, offering reliable, convenient solutions to various industries. From remote sites to large-scale festivals, our trailers deliver outstanding comfort, reliability, and efficiency. For customers with specific requirements, we provide bespoke solutions to tackle even the most unique challenges.

With over 30 years of experience, Scanvogn has earned a strong reputation for excellence by prioritizing quality, service, and innovation. Our trailers are designed to withstand tough environments while maintaining functionality and comfort. By combining innovation with craftsmanship, we deliver mobile solutions that provide lasting value and performance.

High Performance

Premium Materials

AL-KO Trailer Chassis

Our trailers are built on a sturdy, heat-galvanized chassis from AL-KO. The galvanization process is done after the chassis has been mechanically processed, ensuring that all edges and bolt holes are fully galvanized.



Durable, Rot-free Floor

Our floor is made with a layer of IQ Optima with woven glass fiber, a layer of honeycomb plates, and 65 mm of XPS insulation foam. According to our durability tests, IQ Optima is significantly more durable than standard floor vinyl.

Scratch Resistant Surfaces

Our tables and countertops are made exclusively from high-pressure laminate offering a lighter, more elegant look. The hard surface is more resistant to scratches and therefore easier to maintain for improved hygiene.



Curved, Insulated Roof

Our trailers feature a solid-cast roof with a slight curvature for optimal strength, insulation, and efficient water drainage. The roof has a gutter system, which helps direct water and dirt away from doors and windows.

Built To Last

Engineered for Durability

Tightly Sealed Roof Junctions

The solid-cast roof fits tightly around the outer walls. This ensures optimal strength and prevents water penetration, as all seams are completely covered.




Tightly Sealed Floor Junctions

We produce our own wall panels using glass fiber and XPS foam. All outer walls are precision-cut with a seam and fitted to ensure the angle seals tightly around the floor for optimal strength.

Custom-built Components

We manufacture many of our components in-house and work closely with suppliers to develop parts that offer superior quality, design, and functionality.



Strong Aluminum Profiles

We reinforce outer corners with sturdy anodized aluminum profiles, ensuring maximum durability and a tightly sealed trailer.

Functional Design

Improving the User Experience

Minimalist Design

The interior of our trailers features a sleek, minimalist design with bright, diffused LED lighting that creates a comfortable and modern atmosphere. The clean lines and thoughtful layout enhance both the aesthetics and overall user experience.



Cleaning-friendly

Our trailer's interior is designed for easy cleaning, with smooth surfaces and hidden pipes that minimize hard-to-reach areas. This ensures faster and more efficient cleaning while maintaining a high level of hygiene.

Service-friendly

Built-in technical compartments allow for quick and easy access to essential connections, such as water, electricity, and sewer systems. This simplifies servicing and ensures smooth operation with minimal downtime.



Fast and Easy to Set Up

The trailer connects to a standard tow bar and can be set up within minutes. This allows you to move the trailer from one place to another, quickly and efficiently and without any hassle.

Construction


Comfort meets Productivity

Providing on-site personnel with reliable and comfortable mobile welfare solutions

Scanvogn has a solid foundation in the construction industry, providing high-quality welfare trailers that offer superior comfort and hygiene, which helps boost worker productivity and reduce absenteeism. Unlike stationary modules that require complex logistics, our trailers provide flexibility, allowing for easy relocation as projects evolve.

Our program delivers cost-effective solutions that have been rigorously tested in the field. Each trailer is built for durability and user-friendly operation, ensuring long-term effectiveness and reliability, even in the most demanding environments. Scanvogn's commitment to quality makes us a trusted partner for construction professionals.





Events

Elevating Guest Experiences

Elevating comfort and hygiene for every guest at every event - big and small

Scanvogn plays a pivotal role in the events industry by providing elegant, mobile solutions that ensure seamless operations during festivals, sporting events, and various gatherings. Our products are designed for easy setup, high reliability, and fast cleaning. By offering effective solutions, we help organizers minimize guest wait times, thereby enhancing attendee satisfaction and profitability.

Working closely with event organizers, we have developed a versatile range of trailers and modules. From sanitation facilities and backstage accommodations to sales units and security units, our solutions streamline operations and enhance the guest experience at every event. From basic facilities to premium experiences, we deliver solutions for all—regardless of size and location.





Luxury Line

Redefining Mobile Luxury

Creating exclusive experiences with premium solutions tailored for upscale events

Scanvogn's luxury line redefines mobile facilities, offering sophisticated solutions for high-end events and exclusive venues. Every product is designed to offer an experience that seamlessly blends modern technology with elegant design. Whether for high-profile events, executive retreats, or backstage areas for VIPs, our luxury products deliver outstanding comfort, functionality, and style.

From spacious, elegantly decorated interiors to advanced water-saving systems and light control features, our luxury line is designed with both aesthetics and user experience in mind. The range includes luxury toilet trailers and hotel trailers, featuring ceiling slats in high-pressure laminate that mimic wood, textured wallpapers in various styles, and integrated ambient LED lighting.





Custom Solutions


Tailored for You

Custom-built solutions designed to meet your specific requirements

While Scanvogn offers a wide range of standard solutions, we also excel at designing custom solutions tailored to the unique challenges of individual customers. Our process emphasizes close collaboration, working with clients at every stage to create solutions that align perfectly with their goals and requirements.

From disaster relief flatpack housing and fire department decontamination units to specialized trailers for the film industry and floating referee platforms, our custom-built solutions deliver reliability and efficiency in every scenario. With Scanvogn's custom solutions, your vision comes to life with precision and care.







CONSUMABLES DIVISION

PORTION CONTROL, LIQUID, BIO,
FRAGRANCE BOOSTERS, HAND CARE, WATER
TREATMENT, CLEANING PRODUCTS, ACCESSORIES





TABLE OF CONTENTS

71	Quick Scents
72	Quick Blue
73	BIO
74	Eco Blue
75	STF
76	Hand Care
78	Fragrance Boosters
79	Cleaning Products
81	Accessories
83	Egal Pads

Portion Control

QUICK SCENTS

Quick Scents packets are formulated to respond to changing levels of waste and temperatures based on the amount of active ingredients in each formula. Quick Scents Plus has higher levels of active ingredients and is a great solution for high heat, heavy traffic situations. For moderate conditions, use Quick Scents Regular, and if the weather cools down or you are doing same day service for a special event, use Quick Scents Event.



Quick Scents



REGULAR

All Season

MIX

1 packet per 19 L water

AVAILABLE SIZES
(QS Regular, Event, Plus)



EVENT

Daily

MIX

1 packet per 19 L water

AVAILABLE FRAGRANCES
(QS Regular, Event, Plus)

Bubble Gum



PLUS

Extreme Heat

MIX

1 packet per 19 L water




255/case (3 bags of 85)

Portion Control

QUICK BLUE

Safe-T-Fresh has created Quick Blue, the first dual-film effervescent packet! This extraordinary, patent-pending process uses a paper film on one side and PVA film on the other. The result is a packet that dissolves quickly and is dispersed throughout the tank by an effervescent action. And it works in salt water!



High Traffic

MIX

1 packet per 19 L water

AVAILABLE SIZES
(QB Winter & Summer)



Cool | Daily

MIX

1 packet per 19 L water

AVAILABLE FRAGRANCES
(QB Winter & Summer)

Bubble Gum



255/case (3 bags of 85)

Liquid & Portion Control

BIO

The benefits of using Safe-T-Fresh BIO products go well beyond odor control and protecting the environment, eliminating waste build-up in tanks, hoses and pipes. The natural bacteria, when left in a tank or system, multiply over time and increase in effectiveness, breaking down solids into a liquid. Your tanks, hoses, and pipes will no longer have hardened waste that produces continual odor. And, waste treatment plants will benefit from the added natural bacteria, which helps you obtain or maintain your current dump permits.

BIO deodorizers are available in packet and liquid form. Use the Quick Scents Bio 30-gram packets for moderate levels of traffic and heat and the Bio 60-gram for high heat and traffic. For liquids, use Safe-T-Fresh 3K in moderate conditions and Safe-T-Fresh 5K for extreme conditions.



Light - Moderate

MIX

1 packet per 19 L water

AVAILABLE SIZES
(BIO 30g & 60g)



30g 400/case (5 bags of 80)
60g 200/case (5 bags of 40)



Moderate - Heavy

MIX

1 packet per 19 L water

AVAILABLE FRAGRANCES
(BIO 30g & 60g)

Bubble Gum



Super Concentrated

MIX

30-60 mL per 19 L water

AVAILABLE FRAGRANCES
(BIO 5K)

Bubble Gum

AVAILABLE SIZES
(BIO 5K)



Most Environmentally-Friendly Portion Control

ECO BLUE

Announcing Eco Blue! The MOST eco-friendly deodorizer to hit the market, from Safe-T-Fresh. A revolutionary new packet product with no hazardous materials that doesn't sacrifice fragrance or deep blue color. Ground breaking, patented malodor control technology eliminates the chemical process most current deodorizers use by naturally absorbing malodors. Eco Blue is biocide and bacteria free making it fully biodegradable and treatment plant friendly. Safe-T-Fresh's new Eco Blue, will provide a worry free week of service and refreshing lavender or bubble gum scent, at any temperature. Wow your customers and protect the environment. Try Eco Blue today!



Extreme Heat

MIX

1 packet per 19 L twater

AVAILABLE FRAGRANCES

Lavender

Bubble Gum

AVAILABLE SIZES



255/case

Liquid Deodorizers

STF

Many operators may not remember that Safe-T-Fresh was the very first environmentally safe deodorizer developed for the portable sanitation industry in 1970. Even then, Satellite was aware that protecting the environment was everyone's responsibility for the sake of future generations.

Today, Safe-T-Fresh is reformulated with the most advanced ingredients for fighting odors. Through research, testing and field observation, we've created a deodorizer that actually changes odor molecules instead of masking them. This revolutionary breakthrough in molecular technology continues the tradition of being environmentally safe, while delivering a much higher level of odor control. It is available in a variety of concentrations which allows you to choose what's best for your situation.

Superior Odor Control
Environmentally Safe
Non-Formaldehyde
Deep-Blue Dye



3K

Ready-To-Use

MIX

60-120 mL per 19 L water



4K

Concentrated

MIX

30-90 mL per 19 L water



5K

Super Concentrated

MIX

15-60 mL per 19 L water




6K

Extreme Concentrated

MIX

15-30 mL per 19 L water

AVAILABLE SIZES
(All STF)



1 L

3.8 L

23 L

208 L

1041 L

AVAILABLE FRAGRANCES
(All STF)

Lemon
Lavender
Cherry
Bubble Gum

Longer lead times:
Hot Cinnamon
Coconut Cream
Fresh & Clean
Mulberry
Razzle Berry

Soothing Soaps and Sanitizers

HAND CARE

Both our liquid and foaming hand soaps and sanitizers provide an economical way to maintain your restrooms, handwash stations and sanitizer stands. Our soaps contain soothing aloe that moisturize hands with each use. Refills are available in either 800 or 1000 mL sizes.

For outfits that require a bit more, bulk solutions are available in two different types of soap and an FDA approved hand sanitizer. Satellite's 800 mL refillable bottle makes servicing quick and easy when using Satellite's bulk solutions. See how you can save money, increase revenue and speed up service time when buying bulk.



Foam Soap & Sanitizer

OPTIONS
Gel - 65% Alcohol
Gel - 85% Alcohol
AVAILABLE SIZES



6/case

Dispensers

OPTIONS
Bulk Refillable
1 L Foaming

Foam Soap & Sanitizer

OPTIONS
1 L Foaming Soap
1 L Foaming Sanitizer
AVAILABLE SIZES



1 L

Bulk Soap

OPTIONS
Loation Soap
Sanitizer
AVAILABLE SIZES




5 L 20 L 200 L

Long-Lasting Freshness

FRAGRANCE BOOSTERS

When customers begin to notice a strong odor in your restrooms, they may stop using your services. To insure they have a pleasant experience, use fragrance boosters from Safe-T-Fresh. It only takes a moment and a few cents to improve your image and keep customers happy.



Mask Strong Odors

URINAL BLOCKS

High quality and slow dissolving, the urinal blocks stay solid. They will also bring a pleasant and powerful perfume. Free of paradichlorobenzene. Last 6 to 7 days.

AVAILABLE FRAGRANCES

Lemon

AVAILABLE SIZES



320/case

Refreshes and Reduces Splashes

URINAL SCREENS

Keep your restrooms looking clean and sharp with Safe-T-Fresh's Toilet Washdown. Available in multiple fragrances for long-lasting freshness that your customers will enjoy.

AVAILABLE FRAGRANCES

Lavender

Cucumber Melon

AVAILABLE SIZES



12/case



72/case

A Breath of Fresh Air

AIR WORKS

Air Works deodorizer discs are a pleasant addition to the fragrance used in your waste tank. One disc per service.

AVAILABLE FRAGRANCES (Cabana Spray & Air Works)

Lavender

Coconut Cream

Razzle Berry

AVAILABLE SIZES



300/case



Flawless Fragrance

CABANA SPRAY

Safe-T-Fresh cabana sprays will exceed your expectations for their full, fresh fragrance and longevity. This product is a must for those who want fresh smelling restrooms!

AVAILABLE FRAGRANCES (Cabana Spray & Air Works)

Mulberry

Lemon

Bubble Gum

Cherry

AVAILABLE SIZES



1 L 3.8 L 23 L 208 L 1041 L

Easy-to-Use

BANDIT

The Bandit scent band is a powerful fragrance booster that freshens the air and neutralizes odors. Its unique self-locking design allows it to be secured to vent pipes and under sinks. Lasts 60 to 90 days.

AVAILABLE FRAGRANCES

Lavender

Cucumber Melon

AVAILABLE SIZES



96/case

Industries' Strongest & Safest

CLEANING PRODUCTS

The cleanliness and condition of your trucks, restrooms and trailers will determine how customers view your business. Use Safe-T-Fresh products to shine and polish your equipment, giving customers a reason to trust you offer the best service in the business.



URINAL CLEANER

Safe-T-Fresh's Urinal Cleaner's high-powered formula cleans off grease, adhesives, carbon-based soils, and masonry. Safe to use on metal, painted metal, and plastic.

AVAILABLE SIZES
(TOILET WASHDOWN, ALL PURPOSE CLEANER, URINAL CLEANER)



1 L



3.8 L



23 L



ALL PURPOSE CLEANER

Make quick work of grease and grime in those hard to reach places with Safe-T-Fresh's All Purpose Cleaner. Perfect for the job-site or in the yard, this heavy-duty cleaner does it all.

AVAILABLE SIZES
(TOILET WASHDOWN, ALL PURPOSE CLEANER, URINAL CLEANER)



1 L



3.8 L



23 L



TRUCK WASH

Satellite knows how important making a good impression is and that it all starts with curb appeal. That is why our heavy-duty Truck Wash removes road film, grease and deposits. Keep your trucks and trailers looking like new with Satellite's Truck Wash.

AVAILABLE SIZES



23 L



TOILET WASHDOWN

Keep your restrooms looking clean and sharp with Safe-T-Fresh's Toilet Washdown. Available in multiple fragrances for long-lasting freshness that your customers will enjoy.

AVAILABLE FRAGRANCES (Toilet Washdown)

Hot Cinnamon	Razzle Berry
Bubble Gum	Mulberry
Fresh & Clean	Lavender
Lemon	Coconut Cream
Cherry	Cucumber Melon

GRAFFIX/QUICKFIX

GRAFFIX and QuickFix are liquid gels used to remove unwanted graffiti from HDPE, wood, brick, stone, or metal. They do not contain MEK or other harsh, flammable chemicals and the gel is formulated to adhere to vertical surfaces without running.

AVAILABLE SIZES



1 L



3.8 L



23 L

Soothing Soaps and Sanitizers

ACCESSORIES

Safe-T-Fresh offers a variety of accessories to help with servicing portable restrooms, trucks, trailers, and service equipment. Safe-T-Fresh's accessory products will help keep your equipment looking good and running top notch. In an industry that does not have time for downtime, it's important to keep your equipment in the best shape possible.



ANTI-FREEZING CONCENTRATE

The Antifreeze is an additive to use with the Safe-T-Fresh toilet fluids or sachets to prevent your tank from freezing. The antifreeze, less corrosive than salt, is a concentrate that has proven its efficiency at lowest temperatures. Moreover, after pouring the product into your toilet tank you will find how easy it is to mix this product.

The quantity of Antifreeze to mix with water varies with temperatures.

Use as supplied for temperatures of down to -40C*

MIX RATIO

For temperatures of down to -20 c

1 part water to 2 parts antifreeze

For temperatures of down to -15 C

1 part water to 1 part antifreeze

For temperatures of down to -10 C

2 parts water to 1 part antifreeze

AVAILABLE SIZES




200 L



1000 L

*Washing hands in freezing temperatures can cause your hands to cool rapidly. Limit the time your hands are exposed to freezing temperatures and cold water to avoid risk of frost bite.



SPONGES

Safe-T-Fresh offers heavy-duty sponges that work great to clean grease, grime, and graffiti off of portable restrooms. Safe-T-Fresh sponges can be used with a variety of Safe-T-Fresh products.

TOOLS

Safe-T-Fresh has all the tools needed to get the job done. With a variety of sizes in every tool, it's safe to say you will find what you need when you shop Safe-T-Fresh.

EXHAUST VAPORIZER SCENT

Exhaust Vaporizer Scent uses a uniquely formulated essential oil to neutralize exhaust odors within a specially designed evaporation chamber. In the chamber, the essential oil is activated and vaporized by the heat of the pump's exhaust.

AVAILABLE SIZES



23 L

Period products

EGAL PADS

Periods are unpredictable. No one should have to leave the stall or ask for help when their period starts. Egal Pads on a Roll™ offers a practical, accessible solution.

- **Convenient:** Dispensed next to the toilet paper – exactly where it's needed.
- **Inclusive:** Designed for all restrooms – supporting menstrual equity.
- **Simple:** Refill in under 30 seconds.
- **Economical:** About 10% of the toilet paper budget—no costly vending machines required.
- **Sustainable:** 86% less packaging than vending machines.
- **Sealed:** Individually wrapped pads for hygiene and comfort.



QUALITY YOU CAN TRUST

Egal offers high-quality pads designed for comfort, dignity, and reliability. The standard roll holds 40 pads, while the plant-based roll holds 30 pads, both significantly reduce packaging waste - no costly vending machine required. Thin, absorbent, and easy to refill, they dispense just like toilet paper for a seamless experience.



We do not use organic cotton: a low-yield, high energy, water-hungry crop



No superabsorbent polymers: a petroleum product that does not biodegrade



**No chlorine bleach
No perfumes
No dyes**

EGAL PADS ON A ROLL

No chlorine bleach, perfumes or dyes for a seamless experience.

MATERIALS

Polypropylene (PP), polyethylene (PE), FSC certified cellulose fibers, sodium polyacrylate, silicone coated release paper, paper wrapper, non-toxic hotmelt adhesive.

SPECIFICATIONS

Pad Size: 10 x 23 cm

Roll Dimensions: Ø13 x 7.7 cm (W);
3.8 cm Core

Pads per Roll: 40

Box Dimensions: 38 x 27 x 18 cm


Box Weight: 7.7 lb.

BOX OF 12 ROLLS

480 pads

OUR COMMITMENT TO SUSTAINABILITY

Egal Pads is a leader in innovation of pads for public use. Our commitment to continuous improvement ensures that our products not only meet high standards, but also minimize environmental impact, reflecting our dedication to a sustainable future.



EGAL DISPENSER

Our Egal dispenser is perfect for supplying Pads on a Roll. Compact and easy to refill, it includes a key that may be snapped out of the base.

TAMPON HOLDER

Mounts behind the dispenser. No extra hardware needed!

SPECIFICATIONS

Dispenser Size: Ø17 x 8.9 cm
Box Dimensions: 29 x 19 x 19 cm
Box Weight: 1.8 kg (BL) / 2.3 kg (SS)

BOX OF 5 DISPENSERS

Black
Stainless Steel

AVAILABLE COLORS

-  **Black (Polycarbonate)**
 -  **Stainless Steel**
- *Mounting hardware not included

SPECIFICATIONS

Color: Black
Box Dimensions: 33 x 25.4 x 6.4 cm
Box Weight: 0.68 kg

BOX OF 5 TAMPON HOLDERS



SERVICE UNITS





TABLE OF CONTENTS

92	MAL 225
93	MAL 250
94	MAL 300
95	MAL 450
96	MAL 650
97	MGA 925

SMALL TANKS DOING BIG JOBS

SERVICE UNITS

Aluminum Tank

Wastewater Dump

Sight Glass

MAL 300

SERVICE UNITS

Satellite service units are easy to operate and to maintain. Logical and worry-free operation means more efficiency when operating the service unit, and less time lost when training a new operator. Easy to reach components make daily maintenance effortless. Using the accumulated knowledge from our users we have added some practical features such as a 1.5" (DN40) bucket-fill and practical hose hooks for you to work in an efficient and easy way.

Service Hose & Wand


Freshwater Hose

Flojet Switch

MAL 225

The MAL 225 is the smallest service unit in our range. Thanks to its compact dimensions, this module fits directly in the back of most modern pickup trucks, enabling the operator to enter height-restricted areas such as garages.

The unique and standard Easy-Fix mounting system guarantees fast and safe assembly without the need for extensive engineering work.



CONSTRUCTION

Tank-in-tank, 2 chambers

2 Zinc anodes

Easy-Fix mounting system

STANDARD FEATURES

- Primary Ball Valve
- Manhole 8"
- Secondary Ball Valve with drain
- Oil separator with drain
- Heavy duty UV-resistant hoses
- 12V Battery
- External oil tank for vacuum pump
- 2 Sight glasses for waste water level
- 3" Waste inlet (with 2" connector)
- Sight tube for fresh water level
- 1 1/4" Bucket-fill
- 3" waste outlet with 3" Camlock coupler (male)
- Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

- Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m
- Vaporizer to eliminate odours

SPECIFICATIONS

Total Volume	825 L
Waste Capacity	600 L
Clean Water Capacity	225 L
Dry Weight* (From)	± 330 kg
Full Weight	± 930 kg
Material	Aluminum 5454 With Anti-corrosion Coating
Engine	Gasoline Engine 5.5 Hp Electric Start
Vacuum Pump	Masport HXL2V 1730 L/min
Dimensions (L x W x H)	1980 x 1000 x 950 mm
Ideal Vehicle	Pickup Or Small Trailer
Driving License	B
Number Of Toilets Cleaned Per Day	15
Other Versions	Available with a Low-pressure or High-pressure Water System

* Dry weight is based on calculation of all components separately. They may vary depending on the service unit.

MAL 250

The MAL 250's affordability makes it ideal for start-ups or as an additional unit for your existing fleet. A dry weight of just 260 kg, the lowest in this segment, and compact dimensions allow the MAL 250 to be used within technical and legal limits, and to be installed on a wider range of pickups and flatbed trucks.

CONSTRUCTION

Tank-in-tank, 2 chambers

2 Zinc anodes

Easy-Fix mounting system



STANDARD FEATURES

Primary Ball Valve

Manhole 8"

Secondary Ball Valve with drain

Oil separator with drain

Heavy duty UV-resistant hoses

12V Battery

External oil tank for vacuum pump

2 Sight glasses for waste water level

3" Waste inlet (with 2" connector)

Sight tube for fresh water level

1 1/4" Bucket-fill

3" waste outlet with 3" Camlock coupler (male)

Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m

Vaporizer to eliminate odours

SPECIFICATIONS

Total Volume	950 L
Waste Capacity	700 L
Clean Water Capacity	250 L
Dry Weight* (From)	260 kg
Material	Aluminum 5454 With Anti-corrosion Coating
Engine	Gasoline Engine 5.5 Hp Electric Start
Vacuum Pump	Masport HXL2V 1730 L/min
Dimensions (L x W x H)	1446 x 1500 x 1464 mm
Footprint Dimensions	1446 x 1000 mm
Ideal Vehicle	> 3.5 T
Driving License	B
Number Of Toilets Cleaned Per Day	15
Other Versions	Versions Available With a Low-pressure or High-pressure Water System

* Dry weight is based on calculation of all components separately.
They may vary depending on the service unit.

MAL 300

The MAL 300 is the ideal service unit for those who want to adapt an existing delivery (or flatbed) truck or trailer for maintenance work. Weighing less than 1000 kg when fully loaded, it can be fitted to virtually any truck up to 3.5 T without going over legal limits. Offering greater flexibility to any fleet, and suitable for use by drivers holding a B license, the MAL 300 is the best choice on the market as an entry-level service unit.

CONSTRUCTION

Tank-in-tank, 2 chambers

2 Zinc anodes

Easy-Fix mounting system



STANDARD FEATURES

- Primary Ball Valve
- Manhole 8"
- Secondary Ball Valve with drain
- Oil separator with drain
- Heavy duty UV-resistant hoses
- 12V Battery
- External oil tank for vacuum pump
- 2 Sight glasses for waste water level
- 3" Waste inlet (with 2" connector)
- Sight tube for fresh water level
- 1 1/4" Bucket-fill
- 3" waste outlet with 3" Camlock coupler (male)
- Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

- Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m
- Vaporizer to eliminate odours

SPECIFICATIONS

Total Volume	1130 L
Waste Capacity	750 L
Clean Water Capacity	380 L
Dry Weight* (From)	280 kg
Material	Aluminum 5454 With Anti-corrosion Coating
Engine	Gasoline Engine 5.5 Hp Electric Start
Vacuum Pump	Masport HXL2V 1730 L/min
Dimensions (L x W x H)	1400 x 1710 x 1500 mm
Footprint Dimensions	1500 x 1800 mm
Ideal Vehicle	> 2.8 T
Driving License	B
Number Of Toilets Cleaned Per Day	20
Other Versions	Versions Available With a Low-pressure or High-pressure Water System

* Dry weight is based on calculation of all components separately. They may vary depending on the service unit.

MAL 450

Looking for a service unit that offers enough volume for a larger daily route, and still maintains a low weight? The MAL 450 offers the best weight/volume ratio on the market. With dry weights from as little as 340 kg and offering a total volume of 1700 L (1150 waste/550 fresh) it can be mounted on virtually all small trucks.

The MAL 450 can be delivered with a reliable gasoline engine or with a hydraulic drive.



CONSTRUCTION

Tank-in-tank, 2 chambers

2 Zinc anodes

Easy-Fix mounting system

STANDARD FEATURES

Primary Ball Valve

Manhole 8"

Secondary Ball Valve with drain

Oil separator with drain

Heavy duty UV-resistant hoses

12V Battery

External oil tank for vacuum pump

2 Sight glasses for waste water level

3" Waste inlet (with 2" connector)

Sight tube for fresh water level

1 1/4" Bucket-fill

3" waste outlet with 3" Camlock coupler (male)

Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m

Vaporizer to eliminate odours

Hydraulic drive available

Cabin lashing bars

SPECIFICATIONS

Total Volume	1700 L
Waste Capacity	1150 L
Clean Water Capacity	550 L
Dry Weight* (From)	340 kg
Material	Aluminum 5454 With Anti-corrosion Coating
Engine	Gasoline Engine 9.0 Hp Electric Start
Vacuum Pump	Masport HXL3V 2600 L/min
Dimensions (L x W x H)	1980 x 1710 x 1500 mm
Footprint Dimensions	2080 x 1800 mm
Ideal Vehicle	> 3.5 T
Driving License	B
Number Of Toilets Cleaned Per Day	30
Other Versions	Versions Available With a Low-pressure or High-pressure Water System

* Dry weight is based on calculation of all components separately.
They may vary depending on the service unit.

MAL 650

With its large wastewater capacity reaching 1600 L, the MAL 650 is aimed at operators who need extra volume for their daily routes and can also come in handy at events.

The MAL 650 is designed to be mounted on a truck weighing over 3.5 T and can be supplied with either a gasoline engine or hydraulic drive.

CONSTRUCTION

Tank-in-tank, 2 chambers

2 Zinc anodes

Easy-Fix mounting system

STANDARD FEATURES

Primary Ball Valve

Manhole 8"

Secondary Ball Valve with drain

Oil separator with drain

Heavy duty UV-resistant hoses

12V Battery

External oil tank for vacuum pump

2 Sight glasses for waste water level

3" Waste inlet (with 2" connector)

Sight tube for fresh water level

1 1/4" Bucket-fill

3" waste outlet with 3" Camlock coupler (male)

Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m

Vaporizer to eliminate odours

Masport HXL3 3200 L/min

Hydraulic drive available

Cabin lashing bars



SPECIFICATIONS

Total Volume	2450 L
Waste Capacity	1600 L
Clean Water Capacity	850 L
Dry Weight* (From)	460 kg
Material	Aluminum 5454 With Anti-corrosion Coating
Engine	Gasoline Engine 5.5 Hp Electric Start
Vacuum Pump	Masport HXL3V 2600 L/min
Dimensions (L x W x H)	2250 x 1850 x 1750 mm
Footprint Dimensions	2350 x 1950 mm
Ideal Vehicle	> 5.5 T
Driving License	C1
Number Of Toilets Cleaned Per Day	40
Other Versions	Versions Available With a Low-pressure or High-pressure Water System

* Dry weight is based on calculation of all components separately. They may vary depending on the service unit.

MGA 925


Engineered to meet high-volume requirements, the MGA 925 is the ideal unit for operators who need to clean more than 35 toilets a day, and for the most demanding circumstances where a high volume of fresh water is needed.

The MGA 925 can be adapted to almost any customer request. It serves as the basis for customized vehicle bodies according to their wishes. It can be used with our specially adapted powerpacks as well as a PTO.

CONSTRUCTION

Type 3 chambers

Manual reel for suction hose storage



STANDARD FEATURES

Primary Ball Valve

Manhole 8"

Secondary Ball Valve with drain

Oil separator with drain

Heavy duty UV-resistant hoses

12V Battery

External oil tank for vacuum pump

2 Sight glasses for waste water level

3" Waste inlet (with 2" connector)

Sight tube for fresh water level

1 1/4" Bucket-fill

3" waste outlet with 3" Camlock coupler (male)

Dump hose: 3 m x 3" with Camlock coupler

OPTIONS

Suction hose: Tigertail 2" - lengths: 7.6 m, 9.1 m, 12.2 m, 15.2 m, 18.3 m

Vaporizer to eliminate odours

Cabin lashing bars

SPECIFICATIONS


Total Volume	3500 L
Waste Capacity	2300 L
Clean Water Capacity	1200 L
Dry Weight* (From)	900 kg
Material	Galvanized Steel
Engine	Gasoline Engine 5.5 Hp Electric Start
Vacuum Pump	Masport HXL3V 5000 L/min
Dimensions (L x W x H)	2000 x 2300 x 1850 mm
Footprint Dimensions	2080 x 1800 mm
Ideal Vehicle	> 7.49 T
Driving License	C1
Number Of Toilets Cleaned Per Day	50
Other Versions	Available With a Standard High-pressure Water System Only

* Dry weight is based on calculation of all components separately. They may vary depending on the service unit.

Warehouses and Offices

- **Headquarters - EUROPE**
Avenue de la Toison d'Or 67
1060 Brussels • Belgium
Tel: +32 2 542 56 56
- **Warehouse and Office - GERMANY**
Port number 7556 • Hamburger Straße 50
47229 Duisburg • Germany
Tel: +49 2065 54544 0
- **Warehouse and Office - UK**
Unit 2 Pool Road Industrial Estate • Pool Road
Nuneaton • CV10 9AE • UK
Tel: +44 1530 515 216
- **Warehouse and Office - ITALY**
Via Campania 17
53036 Poggibonsi, Siena • Italy
Tel: +39 346 5067830 • +39 392 1528820
- **Warehouse and Office - POLAND**
ul. Inwestorska 3
62-800 Kalisz • Poland
Tel: +48 602 439 659
- **Office - THE NETHERLANDS**
Koperstraat 60
2718 RE Zoetermeer • The Netherlands
Tel: +31 (0) 182 342 088
- **Warehouse and Office - FRANCE**
32 Rue de Montaran
45400 Fleury-les-Aubrais • France
Tel: +33 6 58 00 29 63
- **Warehouse and Office - DENMARK**
Scanvogn A/S, Hovedvejen 50
Hirtshals 9850 • Denmark
Tel: +45 98 97 72 00

www.satelliteindustries.eu
info@satelliteindustries.com



Active member of the following associations:



EPSG



Stowarzyszenie Branży
Mobilnych Toalet



Follow us on social media

